

	L #	Search Text	DBs
1	L1	judd-d\$.inv.	US-PGPUB; USPAT
2	L2	brewster-j\$.inv.	US-PGPUB; USPAT
3	L3	melia-m\$.inv.	US-PGPUB; USPAT
4	L4	lilly-dav\$.inv.	US-PGPUB; USPAT
5	L5	melia ADJ tech\$9	US-PGPUB; USPAT
6	L6	melia and (server or host or HTML or xml)	US-PGPUB; USPAT
7	L7	((html or xml or sgml) NEAR10 (portable or laptop or PDA)).clm.	US-PGPUB
8	L8	(application NEAR2 interface).clm.	US-PGPUB
9	L9	((different or various or many or multiple) NEAR5 platform).clm.	US-PGPUB
10	L10	((build\$4 or creat\$4 or design\$6) NEAR10 (site or page)).clm.	US-PGPUB
11	L11	((external or remote) NEAR3 (client or user or consumer)).clm.	US-PGPUB
12	L13	((host or server) NEAR1 application).clm.	US-PGPUB
13	L15	((convert or conversion or translat) NEAR10 (compatible or consistent)).clm.	US-PGPUB
14	L16	8 and 9	US-PGPUB
15	L17	8 and 10	US-PGPUB
16	L18	8 and 11	US-PGPUB

	L #	Search Text	DBs
17	L19	8 and 12	US-PGPUB
18	L20	8 and 13	US-PGPUB
19	L21	8 and 15	US-PGPUB
20	L22	8 NEAR2 11	US-PGPUB
21	L23	8 NEAR2 13	US-PGPUB
22	L24	15 and 13	US-PGPUB
23	L25	15 and 11	US-PGPUB
24	L26	15 and 10	US-PGPUB
25	L27	15 and 19	US-PGPUB
26	L28	13 and 11	US-PGPUB
27	L29	13 and 10	US-PGPUB
28	L30	13 and 9	US-PGPUB
29	L31	13 NEAR4 11	US-PGPUB
30	L32	13 NEAR4 10	US-PGPUB
31	L33	9 and 10	US-PGPUB
32	L34	9 and 11	US-PGPUB
33	L35	10 and 11	US-PGPUB
34	L36	(application NEAR2 (start or invok\$5)).clm.	US-PGPUB
35	L37	36 and 8	US-PGPUB
36	L38	36 and 9	US-PGPUB
37	L39	36 and 10	US-PGPUB
38	L40	36 and 11	US-PGPUB
39	L41	36 and 13	US-PGPUB

	L #	Search Text	DBs
40	L42	36 and 15	US-PGPUB
41	L43	36 NEAR4 13	US-PGPUB